



© HCA - 2017

**WATER CLOSET
REAR WALL
TEMPLATE
[LEFT - BTM]**

**WATER CLOSET
MOUNTING ZONE**

WATER
CLOSET

5'-0"
WATER CLOSET
CLEAR FLOOR SPACE

**THIS TEMPLATE IS BASED ON THE
2010 AMERICANS WITH DISABILITIES
ACT STANDARDS.**

**INSTALLER SHALL COORDINATE
WITH CONSTRUCTION DOCUMENTS
AND STATE AND LOCAL BUILDING
CODES FOR VARIATIONS TO THIS
TEMPLATE.**

DISPENSERS / ACCESSORIES
MOUNTED ON THE REAR WALL / PARTITION WITHIN THE WATER CLOSET CLEAR FLOOR SPACE WHICH MAY INCLUDE SEAT COVER DISPENSERS, SANITARY NAPKIN DISPOSAL UNITS, SHELVES, HOOKS, OR BED PAN WASHER ONLY. NO OTHER FIXTURES OR OBSTRUCTIONS MAY BE LOCATED WITHIN THE CFS.
NOTE: THE MEASUREMENT IS TO THE OPERABLE / USABLE PART WHICH MAY BE THE CENTER, BOTTOM, OR TOP OF AN OPENING, LEVER, BUTTON, OR OTHER USABLE PART DEPENDING ON THE TYPE OF DISPENSER / ACCESSORY BEING INSTALLED. EXAMPLE SHOWN ABOVE IS OF A SCD.

**15" A.F.F. MIN REACH LINE
(NON-SHELVES)**

OPERABLE / USABLE PART

FLUSH
CONTROL

REAR GRAB BAR (RGB)

MATCH / CUT LINE
MATCH / CUT LINE

1'-4"

2"

2'-7 1/2"

2'-9 3/4"

RANGE = 33"-36" ABOVE FINISH FLOOR TO TOP OF GRIPPING SURFACE

FINISH FLOOR CUT LINE

LAVATORY CUT LINE

LAVATORY