

SECTION 10 80 00

MISCELLANEOUS SPECIALTIES SERVICE ANIMAL RELIEF AREA (SARA) SIGNAGE AND EQUIPMENT

PART 1 GENERAL

1.01 WORK INCLUDED

- A. Extent of work consists of providing all labor, material, equipment, miscellaneous anchors and fasteners and services necessary to furnish and install miscellaneous specialties as specified herein. Section includes:
 - 1. Pet station.
- B. HCA Approved Vendor: All products to be purchased from GRAINGER INDUSTRIAL SUPPLY - HPG Contract #148. Contact Mike Harrod cell (502)655-0258 or email Mike.Harrod@grainger.com..

1.02 SUBMITTALS

- A. Submit product data and installation instructions for all items specified in accordance with the requirements of the General Conditions and Section 013323.

PART 2 PRODUCTS

2.01 PET STATION

- A. Basis of Design Manufacturer: DOGIPOT 1003A-L (GRAINGER Item #3VLL5).
 - 1. Other Manufacturers: Products by POOPY POUCH are acceptable providing they meet the minimum requirements specified herein and the colors are an acceptable match.
 - a. GRAINGER Item #4ACD1.
 - 2. Products to be purchased from GRAINGER INDUSTRIAL SUPPLY.
- B. Components: Provide the following:
 - 1. Aluminum Pet Sign: Leash on
 - 2. Aluminum Bag Dispenser: Provide two (2) rolls of 200 count pick up bags.
 - 3. Aluminum Trash Receptacle: 10-Gallon with lid
 - a. Liner Trash Bags: Box of 50 count
 - 4. Mounting Post: 2" x 2" x 4'-8' square galvanized steel telescopic with installation hardware.
 - 5. Hand Sanitizer: Owner furnished, Contractor installed.
- C. Wayfinding Signage: Provide inside facility. Coordinate quantities and locations

with Owner.

PART 3 EXECUTION

3.01 INSTALLATION

- A. Install all items in accordance with manufacturer's instructions or as directed below, whichever is more stringent.
- B. Provide all required accessories and fasteners to ensure complete installations.
- C. Pet Station shall be installed along an accessible route with a minimum 30" x 48" clear ground space centered on pole that has maximum 1:48 slope in all directions.
- D. All bag dispensers, trash can, and hand sanitizer (if provided), shall be installed with their openings facing the accessible route and maximum 10" horizontal reach beyond the edge of the accessible route / clear ground space.
- E. Top of Pet Station signage text shall be maximum 70" above clear ground space.
- F. Wayfinding Signage, if provided, shall comply with all applicable regulatory requirements for informational signage.

END OF SECTION